

## Warp Sett Reed Substitution Chart

Order of Sley in Reed	Reed Size in dents / inch						
	4	5	6	8	10	12	15
0-0-1	1.3	1.7	2.0	2.6	3.3	4.0	5.0
0-1	2.0	2.5	3.0	4.0	5.0	6.0	7.5
0-1-1	2.6	3.3	4.0	5.3	6.6	7.9	9.9
0-1-1-1	3.0	3.8	4.5	6.0	7.5	9.0	11.3
1	4.0	5.0	6.0	8.0	10.0	12.0	15.0
1-1-1-2	5.0	6.3	7.5	10.0	12.5	15.0	18.8
1-1-2	5.3	6.7	8.0	10.6	13.3	16.0	20.0
1-2	6.0	7.5	9.0	12.0	15.0	18.0	22.5
1-2-2	6.6	8.3	10.0	13.3	16.6	19.9	24.9
1-2-2-2	7.0	8.8	10.5	14.0	17.5	21.0	26.3
2	8.0	10.0	12.0	16.0	20.0	24.0	30.0
2-2-2-3	9.0	11.3	13.5	18.0	22.5	27.0	33.8
2-2-3	9.3	11.7	14.0	18.6	23.3	28.0	35.0
2-3	10.0	12.5	15.0	20.0	25.0	30.0	37.5
2-3-3	10.6	13.3	16.0	21.3	26.6	31.9	39.9
2-3-3-3	11.0	13.8	16.5	22.0	27.5	33.0	41.3
3	12.0	15.0	18.0	24.0	30.0	36.0	45.0
3-3-3-4	13.0	16.3	19.5	26.0	32.5	39.0	48.8
3-3-4	13.3	16.7	20.0	26.6	33.3	40.0	50.0
3-4	14.0	17.5	21.0	28.0	35.0	42.0	52.5
3-4-4	14.6	18.3	22.0	29.3	36.6	43.9	54.9
3-4-4-4	15.0	18.8	22.5	30.0	37.5	45.0	56.3
4	16.0	20.0	24.0	32.0	40.0	48.0	60.0
4-4-4-5	17.0	21.3	25.5	34.0	42.5	51.0	63.8
4-4-5	17.3	21.7	26.0	34.6	43.3	52.0	65.0
4-5	18.0	22.5	27.0	36.0	45.0	54.0	67.5
4-5-5	18.6	23.3	28.0	37.3	46.6	55.9	69.9
4-5-5-5	19.0	23.8	28.5	38.0	47.5	57.0	71.3
5	20.0	25.0	30.0	40.0	50.0	60.0	75.0